



FH4





FH4

Technical Specifications

Cab and General

Driving side	LHD & RHD
Seating capacity:	2+1

Engine System

Model:	YZ4105QF
Type:	4 cylinder, diesel, water cooled, direct fuel injection
Max. Output (Kw(rpm)):	75(2200)
Torque (N.m):	260(2000)
Displacement (cc):	4087
Compression ratio:	17.5:1

Transmission and clutch

Gearbox	5 speed manual, with synchromesh
Clutch:	Dry, single plate, hydraulic control

Performance

Drive:	4 x 2
Speed (km/h):	105
Gradeability (%):	30%

Dimensions

Length:	5995
Width:	2076
Weight:	2285

Cargo body (mm):

Length:	5160
Width:	1970
Height:	450

Tread (m):

Front:	1675
Rear:	1485

Minimum turning (m):	8
Ground clearance (mm):	213

Weight

Laden (kg):	6600
Kerb weight (kg):	2600
Payload (kg):	4000

Wheels and tyres

Wheel base (mm):	3308
tyre size:	7.50 - 16

Gear Ratios

Gear box transmission gear ratio:	
1st:	5.534
2nd:	3.111
3rd:	1.736
4th:	1
5th:	0.819
Rev.:	5.086
Rear axle gear ratio:	5.857

Brake system

Brake System:	Pneumatic
---------------	-----------

Chassis frame

Front axle:	I-Beam construction
Rear axle:	Full float, single reduction
Steering:	Power assisted

Suspension

Front & Rear:	Leaf spring, hydraulic absorber
---------------	---------------------------------

Fuel Tank

Capacity (L):	100
---------------	-----

Electrical System

System voltage (V):	24V
Generator (A):	1000W

TRANSVEHCO

Walvis bay – Namibia

RAM Building, Circumfertial rd, Walvis bay
Tel: +264 64 202 613

Oshikango – Namibia

Main rd, Oshikango
Tel: +264 65 264 813/491

Kasembulase - Zambia

Congo rd, Kasembulesa
Tel: +260 96 107 2400